
Animal Anatomy and Physiology 1


Lesson 2

Skeletal and Muscular Systems

Chapters 6, 7




The Skeleton System Chapter 6





Pages 153-190

Comparative Anatomy?



Textbook Learning Objectives Chapter 6 – Page 153

- List the cell types that comprise bone and describe the function of each cell type
- List the functions of bone
- Differentiate between cancellous and compact bone
- Describe the process of endochondral bone formation and growth
- Describe the process of intramembranous bone formation
- List and describe the four bone shapes
- Differentiate between yellow and red bone marrow
- List and define the terms used to describe shape and surface features of bone
- List the components of the axial and appendicular skeletons
- Name the internal and external bones of the face and cranium
- List the divisions of the spinal column
- Describe the structure of the ribs and sternum
- Name the bones of the thoracic and pelvic limbs
- List and describe the three classifications of joints






Discuss the characteristics and functions of bone in the animal's body

Bone

- <u>Second hardest</u> substance in the body
 - What is #1?
- Connective tissue, composed of cells embedded in a *matrix*
 - Matrix is made up of collagen fibers embedded in a protein and polysaccharides


Bone


- Characteristics of bone
 <u>Secret of Life!!!</u>
- Weight of bone
 - 1/3 organic
 - Collagen (protein)
 - 2/3 inorganic salts
 - Calcium (Ca)
 - Phosphorus (P)
 - Magnesium (Mg)



Functions of Bones

- Support
- Protection
- Leverage
- Storage
 - Calcium
- Blood cell formation
 - Hematopoiesis






Bone Cells

- Osteoblasts: cells that produce bone
 - Harden matrix through ossification
- Once surrounded by bone, osteoblasts are called <u>osteocytes</u>
- Osteoclasts: remodel/remove bone

Blood Supply to Bone

- Volkmann canals: channels through bone matrix that contain blood vessels
 - Blood vessels in the Volkmann canals join with blood vessels in the haversian systems.
- <u>Nutrient foramina</u>: channels in many large bones
 - Contain large blood vessels, lymph vessels, and nerves



Topic 2

Compare and contrast cancellous (spongy) bone with compact bone

Bone Histology Figures 6-1 & 6-2, Pages 155-156

Two types of bone

- <u>Cancellous</u> bone: light and spongy
 - Red bone marrow
- <u>Compact</u> bone: dense and heavy

Cancellous Bone Figure 6-1B, Page 155

- Tiny "spicules" of bone that appear randomly arranged
- Spaces between the spicules contain <u>bone</u> <u>marrow</u>



Bone Marrow

- Fills the spaces within bones
- Two types:
 - 1. <u>Red</u> bone marrow
 - 2. <u>Yellow</u> bone marrow

Red Bone Marrow


- Forms blood cells
- Majority of the bone marrow of young animals
- Only a small portion of the marrow of older animals
- Confined to a few specific locations in older animals

Yellow Bone Marrow

- Consists primarily of <u>adipose</u> connective tissue
- Most common type of marrow in adult animals
- Can revert to red bone marrow if needed


Bone Marrow

- Red marrow
- Yellow marrow




Compact Bone Figure 6-2, Page 156


- Shafts of long bones
- <u>Outside layer of</u> <u>all bones</u>
- Composed of <u>haversian</u>
 <u>systems</u> that run lengthwise with the bone



Haversian Systems

- Concentric layers of ossified bone matrix arranged around a <u>central</u> <u>canal</u>
 - Blood and lymph vessels and nerves






Topic 3

Describe the structure of a long bone


Bone Shapes Figure 6-5, Page 159

- Long bones
 - Femur, humerus
- Short bones
 - Carpal, tarsal bones
- Flat bones
 - Scapula
- Irregular bones
 - Sesamoid bones
 - Vertebrae



Anatomy of a Long Bone Figure 6-3, Page 157


- Epiphyseal plates: cartilage located between diaphysis and epiphyses of bone
 - Sites where new bone develops to allow long bones to lengthen




Anatomy of a Long Bone

Epiphysis

- Articular cartilage
- Spongy bone
- Epiphyseal plate
- Diaphysis
 - Compact bone
 - Periosteum
 - Endosteum
 - Medullary cavity



Epiphyseal Plates in Young Animals Figure 6-4, Page 158



Bone Membranes


- <u>Periosteum</u>: membrane that covers outer surfaces of bones
 - Outer layer is composed of fibrous tissue
 - Inner layer contains osteoblasts
 - Not present on <u>articular surfaces</u>
- <u>Endosteum</u>: <u>membrane</u> that lines the hollow interior surfaces of bones
 - Also contains osteoblasts

Long Bone Growth


- <u>Primary</u> growth center: bones develop in the <u>diaphyses</u>
 - Cartilage rod
- <u>Cartilage is removed as bone is created</u>
- <u>Secondary</u> growth centers: develop in the <u>epiphyses</u> of the bone


Ossification


 When the bone has reached its full size, the <u>epiphyseal plates</u> completely <u>ossify</u>





Long Bone Anatomy Review














Topic 4

Describe common bone features

Bones "Bumps & Grooves"

Articular Surfaces Bassert Lab Manual, Pages 103-104

- <u>Condyle</u>: large, round articular surface
- <u>Head</u>: spherical articular surface on the proximal end of a long bone
 - Joins with the shaft of the bone at the neck region
- Facet: flat articular surface





Processes Bassert Lab Manual Page 108

- Projections off a bone surface
- Name depends on location
- Examples:
 - Spinous process of a vertebra
 - Trochanter on the femur
 - Tuberosity on the ischium
 - Spine on the scapula
 - Wing on the atlas




Figure 6-26 Spine of the Canine Scapula. The spine runs along the lateral surface.





Figure 6-27 Wings of the Atlas (First Cervical) Vertebra.

Bone Holes and Grooves Figure 6-24, Page 175

- Foramen: hole in <u>a bone</u>; may contain blood vessels, nerves
- Fossa: depressed area on the surface of a bone



Examples of Processes and a Foramen Bassert Lab Manual, Pages 102, 108






Figure 6-13 The Condyles of the Occipital Bone in the Canine Skull. These articular surfaces are where the skull joins the spinal column. It connects the head to the neck. (This joint is the one your mother meant when she said you would lose your head if it wasn't attached.)



The Skeleton





Topic 5

Compare and contrast the axial skeleton with the appendicular skeleton

Axial vs. Appendicular Skeleton

- Axial skeleton
 - Bones of the head and trunk
 - Bones of "the main body mass"
- <u>Appendicular</u> Skeleton
 - Bones of the limbs (extremities)


Axial Skelton Bassert Lab Manual, Page 111


- Skull
- Hyoid bone
- Spinal column
- Ribs
- Sternum




Figure 6-32 Feline Skeleton With the Bones of the Axial Skeleton Highlighted.

Canine Skeleton Figure 6-8, Page 163





Equine Skeleton Figure 6-7, Page 163



Appendicular Skeleton

Thoracic Limb (Foreleg) Pelvic Limb (Rear Leg)

Axial Skelton Bassert Lab Manual, Page 120



Appendicular Skeleton Highlighted.

Thoracic Limb (Proximal to Distal)


- Scapula
- Humerus
- Radius
- Ulna
- Carpal bones (Carpus)
- Metacarpal Bones
- Phalanges


Pelvic Limb (Proximal to Distal)

Connected to axial skeleton at sacroiliac joint


- Pelvis
- Femur
- Tibia
- Fibula
- Tarsal bones (tarsus)
- Metatarsal bones
- Phalanges


Canine Skeleton Figure 6-8, Page 163






Equine Skeleton Figure 6-7, Page 163







1. calcaneus 2. carpals 3. caudal vertebrae 4. cervical vertebrae 5. clavicle 6. costal cartilage #5 7. femur 8. fibula 9. humerus 10. hyoid apparatus 11. ilium 12. ischium 13. lumbar vertebrae 14. metacarpals 15. metatarsals 16. olecranon 17. phalanges 18. pisiform bone 19. pubis 20. radius 21. sacrum 22. scapula 23. sternebra 24. tarsals 25. thoracic vertebrae 26. tibia **27.** ulna

28. xiphoid process






Comparative Anatomy – Dog Skeleton vs. Cat Skeleton




Topic 6

Discuss the bones of the animal skull



Skull Figure 6-10, Page 165

- Usually consists of 37 or 38 separate bones
- Most of the skull bones are joints called <u>sutures</u>
- The <u>mandible</u> is connected to the rest of the skull by a synovial joint




Skull Bones to Know Figures 6-11 & 6-12, Pages 166 & 167


- Occipital Bone (protuberance)
- Foramen Magnum
- Zygomatic Arch (2 bones)
- Maxilla
- Mandible
- Tympanic Bulla
- Mental Foramen

Cat Skull Figure 6-11, Page 166


- Zygomatic Arch (2 bones)
- Maxilla
- Mandible
- Tympanic Bulla
- Mental Foramen




Dog Skull Figure 6-12, Page 167




How the Dog Skull Looks on X-rays Bassert Lab Manual, Page 117




Horse vs. Cow Figures 6-9 & 6-10, Pages 164 & 165







Skull – Head Shapes

- Secret of Life!!!
- Dolichocephalic
- Mesaticephalic
- Brachycephalic








Topic 7

Discuss the bones of the animal vertebrae



Other Bones of Axial Skeleton Bassert Lab Manual, Page 119

- Hyoid bone
- Vertebrae
- Ribs
- Sternum






Figure 6-44 Rabbit Rib Cage, Sternum, and Thoracic Vertebrae. The point at which the bony part of the rib meets the cartilaginous part of the rib is the costochondral junction. Some of the costal cartilages join the sternum, and other costal cartilages attach to the costal cartilage of the ribs in front.

Anatomy of the Vertebrae Figure 6-16, Page 170




Vertebrae Anatomy Review Figure 6-16, Page 170

- Consist of a <u>body</u>, an <u>arch</u>, and <u>processes</u>
- Intervertebral disks: cartilage separating bodies of adjacent vertebrae




Vertebrae Anatomy Review Figure 6-16, Page 170

- Vertebral foramina
 line up to form the
 spinal canal
- Vertebrae usually contain several processes
 - Spinous process
 - Transverse processes
 - Articular processes




One More Time! ③ Bassert Lab Manual, Page 117



Types of Vertebrae

- Cervical (C1-C7)
- Thoracic (T1-T13)
- Lumbar (L1-L7)
- Sacral (S1-3)
- Coccygeal (many!)




Vertebral Formulas Table 6-2, page 170

TABLE 6-2 Vertebral Formulas for Some Common Species

	Cervical	Thoracic	Lumbar	Sacral	Coccygeal
Cat	7	13	7	3	5-23
Cattle	7	13	6	5	18-20
Dog	7	13	7	3	20-23
Goat	7	13	7	5	16-18
Horse	7	18	6	5	15-21
Human	7	12	5	5	4-5
Pig	7	14-15	6-7	4	20-23
Sheep	7	13	6-7	4	16-18

What do you think? ③

The Answer – Consistency in Nature! 🙂



Types of Vertebrae


Thoracic

Lumbar


Sacral

Coccygeal


Cervical Vertebrae – 7 of them Figure 6-17, Page 171



Cervical Vertebrae Figure 6-15, Page 170




Thoracic, Lumbar, Sacral Vertebrae Figure 6-18, Page 171




Intervertebral Disks

- <u>Between</u> vertebral bodies
- <u>Ventral</u> to spinal cord
- Annulus fibrosus
- Nucleus pulposus





Intervertebral Disk Disease Clinical Application, Page 172


Normal




Ruptured











Topic 8

Discuss the bones of the animal ribs and sternum




Ribs Figure 6-22, Page 174

- Flat bones that form lateral walls of the thorax
- Dorsal heads of the ribs articulate with thoracic vertebrae




Rib Types

- True ribs
 - Attach directly to sternum (9)
- False ribs
 - Fuse to form
 <u>costal arch</u> (3)
- Floating ribs
 - No ventral attachment (1)




Ribs Figure 6-23, Page 174

- Attached to <u>thoracic vertebrae</u> dorsally
- <u>Costal cartilage</u>
- <u>Costo-chondral</u> junction
- <u>Costal arch</u>




Sternum Figure 6-23, Page 174

- <u>Costal Cartilage</u>: ventral ends of ribs meet sternum
- <u>Manubrium</u>
- Xiphoid
 - Process
 - Cartilage





Sternum Figure 6-21, Page 173

- Breastbone forms floor of thorax
 - Composed of sternebrae
- <u>Manubrium</u> most cranial <u>sternebra</u>
- Xiphoid process most caudal sternebra



Canine Sternum Bassert Lab Manual, Page 120





Topic 9

Discuss the bones of the canine and feline thoracic limb

Appendicular Skeleton

Thoracic Limb (Foreleg) Pelvic Limb (Rear Leg)


Thoracic Limb (Proximal to Distal)

- Scapula
 - Glenoid cavity
- Humerus
- Radius
- Ulna
 - Olecranon
- Carpal bones (Carpus)
- Metacarpal Bones
- Phalanges

2 Cervical vertebrae	\sim
1 Skull	
23 Lower jaw	
22 Scapula	and the second s
20 Humerus	
21 Stemum	
17 Carpals	
16 Metacarpais	
18 Ulna	
19 Radius	
15 Rib	
	14 Patella


Scapula Figure 6-24, Page 175

- Flat, triangular bone
- Forms portion of shoulder joint
- <u>Spine of scapula</u>: longitudinal ridge on lateral surface
- <u>Glenoid cavity</u>: shallow, concave articular surface




Humerus Figure 6-25, Page 175

- Long bone of <u>brachium</u> (<u>proximal</u> foreleg)
- Forms portion of <u>shoulder</u> joint and <u>elbow joint</u>
- <u>Tubercles</u>: processes where shoulder muscles attach




Humerus Figure 6-25, Page 175

- <u>Condyles</u>: <u>articular</u> surfaces
- <u>Olecranon fossa</u>: indentation above condyle
- Epicondyles: non-articular




Ulna Figure 6-26, Page 176

- <u>Olecranon</u> process
 - Point of the elbow
 - Site for tendon attachment of triceps brachii muscle
- <u>Anconeal</u> and <u>coronoid</u> processes




Radius Figure 6-27, Page 177

- Main weight-bearing bone of <u>antebrachium</u> (<u>distal</u> foreleg)
- Articulates with <u>humerus and ulna</u>
- Styloid process articulates with carpus




Carpus (Wrist) Figure 6-30, Page 179

- AKA "<u>carpal joint</u>"
- Two rows of <u>carpal</u> bones
- Proximal row bones are named
- <u>Distal row bones</u> are <u>numbered</u> <u>medial to lateral</u>




Metacarpal Bones Figure 6-30, Page 179

- Extend distally from distal carpal bones to proximal phalanges
- Dogs & cats 5 digits
 - <u>Numbered medial</u> to lateral
 - Metacarpal & Digit
 I: <u>dewclaw</u>




Phalanges Figure 6-30, Page 179

- 1 <u>digit</u> = 3 phalanges
- <u>Digit I</u> (<u>dewclaw</u>): one proximal and one distal phalanx
- <u>Digits II to V</u>: proximal, middle, and distal phalanx
 - <u>Ungual process</u> is surrounded by claw on distal phalanx




Review Digits/Phalanges

- Each <u>digit</u> has 3 phalanges
 - Proximal
 - Middle
 - Distal
- Equine
 - Navicular bone (distal sesamoid)
- Feline retractable claw




Polydactyly

- Common in cats
- Genetic dominant











Hemingway Cats http://www.hemingwayhome.com/cats/










Topic 10

Discuss the bones of the equine and bovine thoracic and pelvic limbs




Some Comparative Anatomy

Equine Bovine Avian


Equine and Bovine Scapula to Carpus


Very similar to dog and cat Radius and ulna fused



Equine (Horse) Limbs


Distal to Carpus and Tarsus






Phalanges Figure 6-29, Page 178

- 1 <u>digit</u> (III) with 3 phalanges
 - 1. <u>Proximal</u> phalanx (long <u>pastern</u> bone)
 - <u>Middle</u> phalanx (short <u>pastern</u> bone)
 - <u>Distal</u> phalanx (<u>coffin bone</u>)
- Also have sesamoid bones




Bovine Limbs

Distal to Carpus and Tarsus




Metacarpal Bones Bovine (Cattle) Figure 6-32, Page 180

Two <u>fused</u> metacarpal bones (III & IV)




Phalanges Figure 6-32, Page 180


- Four digits on each limb
- <u>Two support</u> <u>weight (III & IV),</u> two are vestigial (<u>dewclaws</u>)
- Each digit has a proximal, middle, and distal phalanx
- Also proximal, distal sesamoid bones




Chicken Wing (Forelimb)





Chicken Wing (Forelimb)






Whole skeleton







Review Bassert Lab Manual, Page 140

Review Bassert Lab Manual, Page 141



Review Bassert Lab Manual, Page 142





Topic 11


Discuss the bones of the canine and feline pelvic limb

Pelvic Limb (Proximal to Distal)

Connected to axial skeleton at sacroiliac joint


Pelvic Limb Proximal to Knee

- Pelvis
 - Ilium
 - Ischium
 - Pubis
 - Acetabulum
 - Obturator foramen
- Femur
- Patella
- Fabellae



Pelvis Figure 6-33A, Page 182


- Ilium
- Ischium
- Pubis
- Acetabulum
- Obturator foramen
 - What structure comes through here?



Ischial tuberosity


Pelvis Figure 6-33B, Page 182

- 3 <u>fused</u> bones
 - Ilium
 - Ischium
 - pubis
- Pelvic (pubic) symphysis
 - <u>Cartilaginous</u> joint between two halves of pelvis




Femur Figure 6-34A, Page 183

- <u>Proximal</u> end forms part of <u>hip joint</u>
- Femoral head fits deeply into <u>acetabulum</u> of pelvis
- Trochanters: processes where hip and thigh muscles attach



Femur Figure 6-34B, Page 183

- Shaft extends distally to form <u>stifle (knee)</u> joint with patella & tibia
- Articular surfaces:
 - 2 Condyles
 - Trochlea
- <u>Trochlea</u>: articular groove containing patella



Patella and Fabellae

Patella




- Large <u>sesamoid</u> bone
- Formed in distal <u>tendon</u> of <u>quadriceps</u> <u>femoris</u> muscle
- Protects tendon

- Two small <u>sesamoid</u> bones in proximal <u>gastrocnemius</u> <u>muscle tendons</u> of dogs and cats
- Not present in cattle or horses


Pelvic Limb Distal to Knee

- Tibia
 - Tibial crest
- Fibula
- Tarsal bones (tarsus)
- Metatarsal bones
- Phalanges




Tibia Figure 6-35, Page 184

- Main weight-bearing bone of lower limb
- Forms <u>stifle joint</u> with femur, <u>hock (ankle) joint</u> with <u>tarsus</u> (tarsal bones)
- <u>Tibial tuberosity</u> (tibial crest)




Fibula Figure 6-35, Page 184

- Parallel to tibia
- Not weight-bearing
- Serves as muscle attachment site
- Lateral malleolus: knob-like process




Tarsus (Hock, Ankle Joint) Figure 6-36, Page 185

- AKA "tarsal joint"
- 2 rows of tarsal bones
 - Proximal row named; distal row <u>numbered</u> medial to lateral




Tarsus (Hock, Ankle Joint) Figure 6-36, Page 185

- <u>Calcaneal</u> <u>tuberosity</u>
 - Aka "<u>tuber calcis</u>"
 - Point of attachment on <u>calcaneus</u> for tendon of <u>gastrocnemius</u> <u>muscle</u>




Metatarsal Bones Figure 6-36, Page 185

- <u>Dogs & cats</u>: <u>four</u> metatarsal bones (II to V)
- <u>Horses</u>: one large metatarsal bone (III) (<u>cannon bone</u>) and two small metatarsal bones (<u>splint bones</u>)




Pelvic Limb Phalanges Figure 6-36, Page 185

- Similar to thoracic limb phalanges
- Exceptions: dogs and cats
 - Usually only <u>4</u> <u>digits</u> (II to V)




Topic 12

Discuss the bones of the visceral (heterotopic) skeleton



Visceral Skeleton Figure 6-37, Page 185


- Bones that form in organs
- Examples
 - <u>os cordis</u>: in heart of cattle and sheep
 - os penis: in penis of dogs, beaver, raccoons, and walruses



 os rostri: in nose of swine

Topic 13

Compare and contrast the three types of joints in the animal's body








.

Joints

- <u>Arthrology</u>
- Types of joints
 - Fibrous joints (synarthroses)
 - Sutures, periodontal membrane
 - <u>Cartilaginous</u> joints (amphiarthroses)
 - Epiphyseal plate, costo-chondral junction, pelvic symphysis, intervertebral disc
 - <u>Synovial</u> joints (diarthroses)
 - •All movable joints in the animal's body

Fibrous Joints (Synarthroses) Figure 6-38, Page 186

- United by fibrous tissue
- Examples: <u>sutures</u> of skull, <u>splint</u> <u>bones</u> of horses



Cartilaginous Joints (Amphiarthroses) Figure 6-39, Page 186

- Capable of slight rocking movement
- Examples: <u>mandibular symphysis</u>, <u>pubic</u> <u>symphysis</u>, <u>intervertebral disks</u>




Synovial Joints (Diarthroses)

- Components
 - Articular surfaces on bones
 - <u>Articular cartilage</u> (<u>hyaline</u>) covering articular surfaces
 - Fluid-filled joint cavity enclosed by a joint capsule
 - Synovial membrane
 - Synovial fluid
 - Ligaments fibrous connective tissue


Topic 14


Describe the anatomy of synovial joints



Anatomy of a Synovial Joint


- Joint capsule
 - Ligaments
- Joint cavity space)
- Synovial membrane
- Synovial fluid
- Articular cartilage
 - (Hyaline cartilage)





Anatomy of the Stifle (Knee) Joint

- Same structures as other synovial joints
- Meniscus
 - (medial & lateral)
- Extracapsular ligaments
 - (collateral)
- Intracapsular ligaments
 - (<u>cruciate</u>)



Topic 15

Compare and contrast the various types of synovial joints





Figure 6-67 Canine Hip Joint. This is an example of a ball and socket joint. The ball is the head of the femur and the socket is the acetabulum in the pelvic bone.

Types of Synovial Joints


Hinge joints Gliding joints Pivot joints Ball-and-socket joints

Hinge Joints Figure 6-42, Page 188

- Ginglymus joints
- One joint surface swivels around another
- Only capable of <u>flexion</u> and <u>extension</u>
- Example:
 <u>elbow joint</u>




Ununited Anconeal Process (Elbow Dysplasia)




Gliding Joints Figure 6-44, Page 189

- Arthrodial joints
- Rocking motion of one joint surface on the other
- Primarily capable of flexion, extension
- Abduction, adduction possible
- Example: carpus




Pivot Joints Figure 6-43, Page 189

- Trochoid joints
- One bone pivots (rotates) on another
- Only capable of <u>rotation</u>
- Example:
 <u>atlantoaxial joint</u>




Ball-and-Socket Joints Figure 6-43, Page 190


- Spheroidal joints
- Allow for <u>all</u> joint movements
- Examples:
 <u>shoulder</u> and <u>hip</u> joints



Ball & Socket Joint – Shoulder




Ball & Socket Joint – Hip



Topic 16

Discuss the various types of synovial joint movements




Synovial Joint Movements http://www.youtube.com/watch?v=dMH0bHeiRNg&eurl

- Flexion
- Extension
- Adduction
- Abduction
- Rotation
- Circumduction




Flexion and Extension Figure 6-40-A & B, Page 187

- Opposite movements
- Increase or decrease angle between two bones



Adduction and Abduction Figure 6-40-C & D, Page 187


- Opposite movements
- Move an extremity toward or away from medial plane



Rotation & Circumduction Figure 6-41, Page 188

Rotation

- Twisting movement of a part on its own axis
- Circumduction
- Movement of an extremity so that the distal end moves in a circle



Topic 17

Describe some of the common pathology seen in the skeletal system



Skeletal System Pathology


Genetic Nutritional Traumatic

Genetic Pathology Clinical Applications


- Ununited Anconeal Process (Elbow Dysplasia) (page 176)
- Hip Dysplasia (Page 182)
- Luxating Patellas (Page 184)
- Osteochondritis Dessicans (OCD)

Patellar Luxation Clinical Application, Page 184

- 1. Patella
- 2. Femur
- 3. Patellar ligament
- 4. Tibial Tuberosity
- 5. Medial Luxation of Patella
- 6. Lateral Luxation of Patella



Ununited Anconeal Process Clinical Application Page 176



Hip Dysplasia Clinical Application, Page 182

Anatomy & Pathology

Hip Dysplasia

http://www.merckmanuals.com/vet/musculoskeletal_system/arthr opathies_and_related_disorders_in_small_animals/hip_dysplasi a_in_small_animals.html?qt=&sc=&alt=



Hip Dysplasia in Small Animals

Hip dysplasia is a multifactorial abnormal development of the coxofemoral joint in large dogs that is characterized by joint laxity and subsequent degenerative joint disease. Excessive growth, exercise, nutrition, and hereditary factors affect the occurrence of hip dysplasia. The pathophysiologic basis for hip dysplasia is a disparity between hip joint muscle mass and rapid bone development. As a result, coxofemoral joint laxity or instability develops and subsequently leads to degenerative joint changes, eg, acetabular bone sclerosis, osteophytosis, thickened femoral neck, joint capsule fibrosis, and subluxation or luxation of the femoral head.


Clinical signs are variable and do not always correlate with radiographic abnormalities. Lameness may be mild, moderate, or severe, and is pronounced after exercise. A "bunnyhopping" gait is sometimes evident. Joint laxity (Ortolani sign), reduced range of motion, and crepitation and pain during full extension and flexion may be present. Radiography is useful in delineating the degree of arthritis and planning of medical and surgical treatments. Standard ventrodorsal views of sedated or anesthetized animals can be graded by the Orthopedic Foundation for Animals, or stress radiographs performed and joint laxity measured (Penn Hip). A dorsal acetabular rim view is used by some surgeons to evaluate the acetabulum before reconstructive surgery. Modified ventrodorsal and dorso-ventral projections have also been proposed in an effort to mimic the normal standing posture of dogs.

Treatments are both medical and surgical. Mild cases or nonsurgical candidates (due to health or owner constraints) may benefit from weight reduction, restriction of exercise on hard surfaces, controlled physical therapy to strengthen and maintain muscle tone, anti-inflammatory drugs (eg, aspirin, corticosteroids, NSAID), and possibly joint fluid modifiers. Surgical treatments include pectineal myotenectomy to reduce pain, triple pelvic osteotomy to prevent subluxation, pubic fusion to prevent subluxation, joint capsule denervation



Surgery to Repair?





Nutritional Pathology

- Rickets
- Hypocalcemia
 - Eclampsia
 - "Milk fever"

Traumatic Pathology


- Cruciate Ligaments (Page 187)
- Navicular Disease (Equine) (Page 181)
- Fractures
- Arthritis
 - Acute
 - Chronic, degenerative
- Laminitis (Page 152)
- Ankylosis

Fractures Clinical Application, Page 158

- Automobile accidents most common cause
- #1 bone fractured Femur
- #2 bone fractured Pelvis...... Why?

Common Types of Fractures

- <u>Closed</u> (simple) -- no break in skin
- <u>Open</u> (compound) -- skin broken
- <u>Comminuted</u> -- broken ends of bones are fragmented
- <u>Greenstick</u> -- partial fracture
 - Young animals with bones not yet calcified










Steps in Healing of Fractures



Clinical Application! Fracture Repair, Page 158

CLINICAL APPLICATION

Fracture Repair


Bones are among the best healing tissues in the body. When bones are broken, three things are necessary for optimal healing to occur: *alignment, immobilization*, and *time*. The fractured ends must be brought close together in reasonable alignment and must be kept from moving apart until healing processes have had adequate time to effect new bone growth. Alignment of the fractured fragments is called *setting* or *reducing* the fracture; immobilization is called *fixation* of the fracture.

External fixation devices such as splints and casts may be used, as can internal devices such as pins, wires, screws, or plates, which must be surgically implanted. The length of time that the fixation device must be kept in place varies with the type and location of the fracture and must take into consideration the physical characteristics of the animal. Factors such as species, age, physical condition, and size of the animal affect the speed of healing. In a small, young animal, the whole process might only take a couple of weeks; in an older or larger animal, it might take several months or more.


Regardless of the type and location of the fracture, the basic healing processes are the same. The large blood supply of bones results in considerable bleeding (hemorrhage) at the fracture site. After the blood begins to clot, forming what is called the *fracture hematoma*, the bone is gradually infiltrated by healing cells and tissues over the next few weeks and months. Osteoblasts from the area form the healing tissue, called the callus, that gradually bridges the fracture gap. The callus can be felt as a lump at the fracture site, and the size of the callus is an indicator of how much movement has been occurring between the fracture fragments. The less movement, the smaller the callus. Fractures with small calluses generally heal faster, which is usually our treatment goal. Once the callus is fully formed and mineralized, the basic healing of the fracture is complete; however, what occurs after that is very important. Over the next few months, the body slowly remodels the bone at the fracture site according to the mechanical stresses that are placed on it. Ideally, this gradual remodeling will return the bone to its original size, shape, and strength.


Topic 18

Review the canine and feline skeletal system





Canine Skeleton Review







Feline Skeleton Review






Equine Skeleton Review







Bovine Skeleton Review


Whole skeleton






Other Critters? ③





Crocodile Skeleton??



Test Yourself KNOW THESE IN EVERY CHAPTER!


Pages 157, 160, 169, 174, 179, 184, 190

Clinical Applications

Pages 158, 171, 172, 172, 173, 176, 181, 182, 184, 185, 187

.

.



The Muscular System Chapter 7 – Pages 191-204



Skeletal Muscle Cardiac Muscle Smooth Muscle

Textbook Learning Objectives Chapter 7 – Page 191

- List the three types of muscle and describe the general characteristics of each type
- Describe the structure and function of tendons, aponeuroses, and ligaments
- Differentiate between prime mover, antagonist, synergist, and fixator muscles
- List the locations and actions of the muscles of the head and neck
- List the locations and actions of the muscles of the abdomen, thoracic limb, and pelvic limb
- List the locations and actions of the muscles of respiration
- Describe the microscopic anatomy of skeletal muscle, smooth muscle, and cardiac muscle cells
- List the components of a neuromuscular junction and describe the function of each component
- List and describe the roles of the connective tissues in skeletal muscles
- Describe the events that occur in skeletal muscle cells during muscle contraction
 and relaxation
- Differentiate between visceral smooth muscle and multiunit smooth muscle

Feature	Skeletal Muscle	Cardiac Muscle	Smooth Muscle
Location	Skeletal muscles	Heart	Internal organs, blood vessels, eye
Action	Move the bones, generate heat	Pump blood	Produce movements in internal organs and structures
Nuclei	Multiple	Single	Single
Striations	Present	Present	Absent
Cell shape	Long, thin fiber	Branched	Spindle
Nerve supply	Necessary for function	Modifies activity, not necessary for function	Visceral—modifies activity, not necessary for function
			Multiunit—necessary for function
Control	Voluntary	Involuntary	Involuntary

Topic 19

Compare and contrast the three types of muscle tissue, their structures, and their functions

Muscle

- One of the four basic tissues of the body
- Made up of cells that can shorten or contract
- Three different types of muscle
 - 1. Skeletal muscle
 - 2. Cardiac muscle
 - 3. Smooth muscle

Comparison of Muscle Features Table 7-1, Page 193

Feature	Skeletal Muscle	Cardiac Muscle	Smooth Muscle
Location	Skeletal muscles	Heart	Internal organs, blood vessels, eye
Action	Move the bones, generate heat	Pump blood	Produce movements in internal organs and structures
Nuclei	Multiple	Single	Single
Striations	Present	Present	Absent
Cell shape	Long, thin fiber	Branched	Spindle
Nerve supply	Necessary for function	Modifies activity, not necessary for function	Visceral—modifies activity, not necessary for function
			Multiunit—necessary for function
Control	Voluntary	Involuntary	Involuntary


Comparison of Muscle Features Table 7-1, Page 193

Feature	Skeletal Muscle	Cardiac Muscle	Smooth Muscle
Location	Attached to bone	Heart	Wall of hollow organs, blood vessels, and glands
Appearance	I WITTIN		
Cell shape	Long, cylindrical	Branched	Spindle-shaped
Nucleus	Multiple, peripheral	Usually single, central	Single, central
Special features		Intercalated disks	Cell-cell attachments
Striations	Yes	Yes	No
Autorhythmic	No	Yes	Yes
Control	Voluntary	Involuntary	Involuntary
Function	Move the whole body	Heart contraction to propel blood through the body	Compression of organs, ducts tubes, etc.

Skeletal Muscle Gross Anatomy Pages 193-198


- <u>Tendons</u>: fibrous connective tissue <u>bands</u>
- <u>Aponeuroses</u>: <u>sheets</u> of fibrous connective tissue
- <u>Origin</u>: the more stable of a muscle's attachment sites
- Insertion: site that undergoes most of the movement when a muscle contracts

Bones, Joints, & Muscles




Gross Anatomy of Skeletal Muscle

- Muscle fibers
- Fibrous connective tissue
- "Belly"
- Tendon
- Periosteum




How Skeletal Muscles Work

- Origin
- Insertion
- Action
- Tendons



Skeletal Muscle

- Striated
- Voluntary
- Needs a functional nerve supply
- Rapid contractions
- Most attached to bones
- Up to 1/2 of body weight



Muscle Actions

- Prime mover (agonist): a muscle or muscle group that directly produces a desired movement
- Antagonist: a muscle or muscle group that directly opposes the action of a prime mover

Muscle Actions

- Synergist: a muscle that contracts at the same time as a prime mover and assists it in carrying out its action
- Fixator: muscles that stabilize joints to allow other movements to take place

Skeletal Muscle Physiology

- 2 functions
 - Movement
 - Glycogen storage
- Muscle use (Secret of Life!!!)
 - Hypertrophy
 - Atrophy
 - Loss of nerve supply
 - Disuse


Characteristics of Muscle Contraction

All-or-nothing principle

- When stimulated, <u>individual muscle fiber either</u> <u>contracts completely or not at all</u>
- Nervous system controls number of muscle fibers it stimulates for particular movements
 - Small, fine movements few muscle fibers
 - Larger, more powerful movements contraction of many muscle fibers

Heat Production

- Muscle activity generates heat
- Panting or sweating mechanisms to eliminate excess heat
- <u>Shivering</u> spasmodic muscle contractions that increase heat production




Topic 20

Discuss the structure and function of the skeletal muscle cell (muscle fiber)


Skeletal Muscle Cells Figure 7-4, Page 198

- Very large
- Multinucleate
- Numerous <u>myofibrils</u> made of <u>actin</u> and <u>myosin</u>
- Network of sarcoplasmic reticulum




Skeletal Muscle Cells

- <u>A bands</u>: thick myosin filaments
- <u>I bands</u>: thin actin filaments
 - Dark line in the center of the I band is the Z line
 - Disk that is the attachment site for the actin filaments




Skeletal Muscle Cells

- <u>Sarcomere</u> <u>basic</u>
 <u>contracting unit</u> of skeletal muscle
- Area from one Z line to next Z line
- Each <u>myofibril</u> is made up of many sarcomeres lined up end to end




Neuromuscular Junction Figure 7-5, Page 200

- Nerves and muscles separated by the synaptic space
- <u>Synaptic vesicles</u> sacs at the end of a nerve fiber; contain acetylcholine
 - <u>Acetylcholinesterase</u> enzyme in the synaptic space that removes acetylcholine




Neuromuscular Junction (NMJ) Figure 7-5, Page 200




Neuromuscular Junction (NMJ)

- <u>Motor neuron</u> axon (<u>nerve fiber</u>)
 - Synaptic vesicles
- Muscle fiber
 - Receptor sites
- Synaptic space (<u>cleft</u>)
 - Acetylcholine (ACh)




Neuromuscular Junction (NMJ)




Motor Unit

- One motor nerve fiber (axon) and all muscle fibers it innervates
- Muscles that make small, delicate movements have few muscle fibers per nerve fiber in each motor unit
- Large, powerful muscles may have 100 or more muscle fibers per motor unit

Motor Unit Figure 7-5, Page 200





Topic 21

Describe the histology (microscopic anatomy) of skeletal muscle

Connective Tissue Layers


- Hold components of muscle together
- <u>Contain blood vessels and nerve fibers</u> that supply muscle fibers (muscle cells)
- <u>Continuous with tendons</u> or aponeuroses that connect muscle to bones or other muscles

Connective Tissue Layers

- <u>Endo</u>mysium surrounds each <u>muscle fiber</u> (<u>muscle cell</u>)
- <u>Fascicles</u> groups of skeletal muscle fibers (muscle cells)
- <u>Peri</u>mysium surrounds fascicles
- <u>Epi</u>mysium –surrounds groups of muscle fascicles

Histology of Skeletal Muscle Figure 7-4, Page 198

- Muscle fiber
 - Endomysium
- Fascicle
 - <u>Peri</u>mysium
- Muscle
 - Epimysium
 - Superficial
 - Deep







Describe the mechanism of muscle contraction

Mechanics of Muscle Contraction

- Relaxed muscle fibers have <u>actin</u> and <u>myosin</u> filaments that slightly overlap
- When stimulated to contract, crossbridges on myosin filaments slide back and forth

Mechanics of Muscle Contraction

- <u>Actin filaments on both sides are pulled toward</u>
 <u>the center of the myosin filaments</u>
- This shortens the sarcomere
- Shortening of all the end-to-end sarcomeres in a muscle fiber results in a muscle contraction

Characteristics of Muscle Contraction

All-or-nothing principle

- When stimulated, an individual muscle fiber either contracts completely or not at all
- Nervous system controls the number of muscle fibers it stimulates for a particular movement
 - Small, fine movements require only a few muscle fibers to contract
 - Larger, more powerful movements require contraction of many muscle fibers

Muscle Contraction

Three phases:

1. Latent phase - time between nerve stimulus and beginning of contraction (about 10 ms)

2. Contracting phase - lasts about 40 ms

3. Relaxation phase - lasts about 50 ms

Muscle Contraction

- Maximum contraction efficiency occurs if nerve impulses arrive about 0.1 second apart
- Results in a series of complete muscle fiber twitches
- Careful timing of the nerve impulses to motor units of the muscle is needed to make muscle contract smoothly

Chemistry of Muscle Contraction

- ATP provides energy to allow the sliding of the actin and myosin filaments
- Creatine phosphate converts ADP back to ATP
- Glucose and Oxygen help produce ATP & CP
 - Glucose stored in muscle as glycogen
 - Oxygen stored as myoglobin

Chemistry of Muscle Contraction

- <u>Anaerobic metabolism</u> used if oxygen need exceeds oxygen supply
 - Results in <u>lactic acid formation</u>
 - Lactic acid accumulation causes discomfort

Heat Production

- Muscle activity generates <u>heat</u>
- Panting or sweating mechanisms to eliminate excess heat
- Shivering spasmodic muscle contractions that increase heat production

Muscle Contraction & Relaxation

- Nerve impulse reaches the end bulb of the motor nerve fiber
- Acetylcholine is released into the synaptic space
- Acetylcholine molecules bind to receptors on the surface of the sarcolemma
- Impulse travels along the sarcolemma and through the T tubules to the interior of the cell

Muscle Contraction & Relaxation

- Impulse reaches the sarcoplasmic reticulum
- Calcium ions (Ca⁺⁺) are released into the sarcoplasm
- Ca⁺⁺ diffuses into the myofibrils and starts the contraction process

Muscle Contraction & Relaxation

- Sarcoplasmic reticulum begins pumping Ca⁺⁺ back in again
- Ca⁺⁺ is pulled out of the myofibrils
- Contraction stops, muscle returns to its original length



Topic 23

Discuss muscle-naming conventions, muscle tone, and gait


Muscle-Naming Conventions

- Action: e.g., flexor muscles; extensor muscles
- Shape: e.g., *deltoid* means "triangular shaped"
- Location: e.g., biceps brachii muscle is located in the brachial region
- Direction of fibers: e.g., *rectus* means "straight"

Muscle-Naming Conventions

- Number of heads or divisions: *-cep* means "head"; biceps brachii muscle has two heads
- Attachment sites: e.g., origin of the sternocephalicus muscle is the sternum and insertion is the back of the head

Muscles of Horse Figure 7-3, Page 195



Muscle Actions

- Prime mover (<u>Agonist</u>): a muscle or muscle group that directly produces a desired movement
- <u>Antagonist</u>: a muscle or muscle group that directly opposes the action of a prime mover

Muscle Actions


- <u>Synergist</u>: a muscle that contracts at the same time as a prime mover and assists it in carrying out its action
- Fixator: muscles that stabilize joints to allow other movements to take place

Tonus – Muscle Tone

- Involuntary contraction of small number of motor units
- Keeps muscles firm though relaxed
- Clinical importance
 - Measurement of depth in anesthesia


Gait

- Definition the pattern of movement of the limbs of animals during locomotion
- Types of gait in animals
 - Plantigrade
 - Digitigrade
 - Unguligrade



Gait

- <u>Plantigrade</u> walking with metatarsal bones flat on the ground
 - Examples primates (humans too!), bears, rodents, raccoons, kangaroos
- **<u>Digitigrade</u>** stands or walks on its digits, or toes
 - Examples birds, Canidae, Felidae, elephants?
 ③
- <u>Unguligrade</u> hoofed animals walking on the tips of their toes
 - Examples cattle, horses, pigs, goats, sheep



Topic 24

Describe the various muscle groups in the animal body

Cutaneous Muscles

- Thin, broad, superficial muscles
- Found in the fascia just beneath the skin
- Little or no attachment to bones
- Serve to twitch the skin

Head and Neck Muscles

- Control facial expressions
- Enable mastication
- Move structures such as eyes and ears
- Support the head
- Allow the head and neck to flex, extend, and move laterally

Abdominal Muscles

Functions


- Support the abdominal organs
- Help flex the back
- Participate in various functions that involve straining
- Play a role in respiration

Abdominal Muscles


- Arranged in layers
- Left and right parts of each muscle come together on the ventral midline at the <u>linea alba</u>


Abdominal Incisions Clinical Application, Page 259


- Linea alba
- Layers of closure
 - Peritoneum
 - Muscle
 - Subcutaneous layer
 - Skin




Surgical Incisions







"Flank" Spay Incision



Thoracic Limb Muscles

- Brachial muscles
 - Biceps brachii muscle <u>flexes</u> the elbow joint
 - Triceps brachii muscle <u>extends</u> the elbow joint
- Carpal and digital muscles

Pelvic Limb Muscles

- Gluteal muscles <u>extensor</u> muscles of the hip
- "<u>Hamstring</u>" muscle group extend the hip joint; main <u>flexors</u> of the stifle joint
 - Biceps femoris muscle
 - Semimembranosus muscle
 - Semitendinosus muscle

Pelvic Limb Muscles


- Quadriceps femoris muscle main extensor muscle of the stifle joint
- Gastrocnemius muscle extensor muscle of the hock
 - <u>Achilles tendon</u> attaches to tuber calcis of calcaneus bone of tarsus

Muscles of Respiration


- Increase and decrease the size of the thoracic cavity
 - Inspiratory muscles
 - Diaphragm
 - External intercostal muscles
 - Expiratory muscles
 - Internal intercostal muscles
 - Abdominal muscles


Intramuscular (IM) Injection Sites Clinical Application, Page 197

- Dogs & cats
 - Biceps femoris
 - Quadriceps femoris
 - "Lumbar" muscles
 - Biceps brachii
- Large animal sites
 - Gluteal muscles
 - Neck muscles



Lumbar (Epaxial) Muscles





Topic 25

Discuss the structure and function of cardiac muscle

Cardiac Muscle

- Striated
- Involuntary
- Needs no functional nerve supply
- Rapid contractions
- Heart only
- Purkinje fibers
 - NOT nervous tissue, but modified cardiac muscle
 - Specialized cells that conduct electricity through the heart (heartbeat)

Physiology of Cardiac Muscle

- Cardiac cells contract without any external stimulation
- Groups of cardiac muscle cells contract at the rate of the most rapid cell in the group
- Contractions are rapid and wavelike


Physiology of Cardiac Muscle

Cardiac Conduction System

- <u>Sinoatrial (SA) node</u>
 - Generates the impulse that starts each heartbeat
 - Located in the wall of the right atrium
- Impulse follows a controlled path through the conduction system of the heart
- Structures in the system transmit, delay, and redirect

Nerve Supply

- Heart is innervated by nerves from both the sympathetic and parasympathetic systems
- Sympathetic fibers stimulate the heart to beat harder and faster as part of the "fight or flight response"
- Parasympathetic fibers inhibit cardiac function, causing the heart to beat more slowly and with less force





Discuss the structure and function of smooth muscle


Smooth Muscle Gross Anatomy

Two main forms

- Visceral smooth muscle
 - Large sheets of cells in the walls of some hollow organs
- Multiunit smooth muscle
 - Small, discrete groups of cells

Smooth Muscle Figure 7-6, Page 204

- Nonstriated
- Involuntary
- Needs no functional nerve supply
- Slow contractions
- Mostly inside of body
 - Blood vessels
 - Hollow organs in ventral cavity



Visceral Muscle

- Found in the walls of many internal organs (e.g., stomach, intestines, uterus, urinary bladder)
- Contracts in large, rhythmic waves
- Contracts without external stimulation
 - Reacts to stretching by contracting more strongly
 - Innervated by nerves from both the sympathetic and parasympathetic systems
 - Sympathetic stimulation decreases activity; parasympathetic stimulation increases activity

Multi-Unit Smooth Muscle

- Individual smooth muscle cells or small groups of cells
- Found where small, delicate contractions are needed (e.g., <u>iris</u>, <u>walls of small blood vessels</u>)
- Contraction requires autonomic nervous system impulse

Test Yourself KNOW THESE IN EVERY CHAPTER!

Pages 193, 199, 201, 203, 204

Clinical Applications

Pages 196, 197, 202